



PUBLIC STAKEHOLDER ANNOUNCEMENT

Abbott Vascular is seeking **initial certification** against the Alliance for Water Stewardship Standard (AWS) V2.0 for the following site:

| | |
|------------------------------|--|
| Site Name: | Abbott Vascular |
| Site Address: | 26531 Ynez Road Temecula, California 92591, United States of America |
| GPS Site Coordinates: | 33.51734225999312, -117.15747944983842 |
| Site Country: | United States Of America |
| AWS Reference No. | AWS-000459 |
| Audit Date: | 24-26-May-2022 |
| Audit Format: | On-site |
| Audit Level: | Core |
| Audit Scope: | Single Site |
| Audit Type: | Initial Certification Audit |

An audit is scheduled on **24-26-May-2022**. This audit is to be conducted **On-site** and in accordance with AWS Policy (<https://a4ws.org/covid-19-update/>)

In line with the AWS Certification Requirements, the stakeholders are invited to provide their comments on the site undergoing an AWS Audit.

Members of the public may submit comments up to and including date of the audit. Alternatively, if you would like to speak with the Audit Team, please contact the Lead Auditor to arrange an interview via video or phone.

TO PROVIDE COMMENTS:

To arrange an interview and/or submit written comments, please contact the Lead Auditor. You can submit your comments by:

- Via remote interview, and/or
- In writing by email.

| | |
|--------------------------------|----------------------|
| Lead Auditor name: | Claudia M Jaime |
| Name of Audit Company: | WSAS |
| Lead Auditor email: | claudia@watersas.org |
| Lead Auditor telephone: | +525566770989 |
| Local Auditor name: | Joerg Hartmann |

SPECIAL NOTE:

The general public and stakeholders may also contact the Alliance for Water Stewardship (AWS) directly with questions in accordance with the [AWS Comments, Complaints and Appeals Procedures](#). website: a4ws.org email: assurance@a4ws.org